LARGE FORMAT PRINTER SURECOLOR SC-T3270/T5270/T7270/T5270D/T7270D





Developed with precision and consistency in mind, the Epson SureColor T-Series is engineered to produce precise and colourful prints consistently for every project. Using Epson's all-pigment UltraChrome™ XD ink and PrecisionCore™ printhead technology, you can be sure of conveying your ideas in the most detailed way possible.



44" Wide



Genuine Inks












Resistant







SureColor SC-T5270/T7270/ T5270D/T7270D

ENGINEERED FOR BUSINESS

Precision and Professional Output

The SureColor T-Series produces durable, quality prints. Print lines as thin as 0.02mm with a line accuracy of +/-0.1%, making it an ideal printer for CAD and 3D renderings.

Effective

Unparalleled Versatility

Print a wide range of applications with exceptional print quality, including architectural plans, maps, 3D rendering graphics, indoor signage and posters.

Exceptional Productivity Speed Print documents at outstanding speeds of up to 2 A1 prints per minute.






Designed with the engineering profession in mind, the Epson SureColor T-Series ensures that you are empowered to print what you think with stunning quality and precision. Employing PrecisionCore technology, line placement is accurate to within +/- 0.1%, ensuring that your blueprints and graphics express what you really want them to.




Precision and Professional Output

Superior Precision and Quality

Utilising Epson's next-generation PrecisionCore printhead and Variable Size Dot Technology (VSDT), CAD documents and 3D architecture designs will be more accurate and colour consistent than ever before, with the industry-topping 10 nozzle lines* per printhead. Print precise lines as thin as 0.02mm with as little error as +/-0.1%, ensuring that you deliver your concept exactly how you want to. The PrecisionCore TFP printhead also removes the need for printhead replacements, avoiding the need to stock up on replacements, effectively providing you with a cost-effective printing solution.





The combination of both technologies allow the ink droplets to be controlled to the finesse of 3.5 picolitres.

Remarkable Archivability

In industries that are constantly exposed to various types of environments, prints have to be durable enough to withstand elemental challenges. Epson's all-pigment UltraChrome XD ink has a higher ink penetration on paper, providing you with tested high lightfastness, rub and water-resistant prints, ensuring that your prints can go anywhere you need them to.

Experience extremely long-lasting prints with minimum aging effects*. The Epson UltraChrome XD ink also grants you an accurate reference of previous jobs, and cuts costs by exempting you from having to reprint documents for reference.

Print sample aging test on gloss paper	0 year	Light 52 years	Ozone Gas 50 years	Ozone Gas 60 years
EPSON UltraChrome XD Ink	Ong Tala Deligini Virganizaran Special Sale 30-000	Unplood Selection (Selection) Selection (Sel	Organic Deligate Commonweal Superior State 30-00FF	the paint of the state of the s
Brand A (Dye Ink)	Organic Delight Standarden Special Sale 30-per	tispini Seligit Educatorida Special Safe 30.0FF	Orplink Delight Manufacture Special Sale 30-0FF	Urglek Delight Unrollerinis Special Sole 30-ore
Brand B (Dye Ink)	Organic Deligit Vitrasberilli Special Tale 30-GFF	Organic Deligate Singuistration Spreakel State 30 c. core	Org. Inc. Deligat Many horror Special Sale 30, OFF	Urgleis Delight Minoramies Spesific Sale 30-OFF

^{*}Light-and ozone-fastness is evaluated using the JEITA CP-3901 Digital Colour Photo Print Stability Evaluation test methodology. Test conditions for light-fastness are set to simulate indoor condition illuminated by sunlight through a glass window. Test conditions for ozone-fastness are set to simulate graphical deterioration from ozone gas in a standard home environment. Test results are indicative and for evaluation purposes only. Actual light-and ozone-fastness depends on prevailing storage and display conditions and are not guaranteed by the Seiko Epson Corporation.

Unparalleled Versatility

The Epson SureColor T-Series empowers you to produce a variety of prints with impeccable precision on a range of substrates, including 1.5mm thickboards. From architectural plans to maps and 3D renderings, print your required documents with confidence.



Indoor Signage





3D Rendering



GIS Map



Prints on 1.5mm media

With the add-on Epson T-Series MFP Scanner, you can expand the printer's application to include copying and scanning assorted media from newspapers to thickboard of up to 1.3mm.

Exceptional Productivity Speed

Print documents at outstanding speeds* of up to 2 A1 prints per minute for CAD documents, effectively assisting you in meeting deadlines and ensuring smooth business operations.

* Based on A1 plain paper printed via Speed mode.

POP

	Media	Resolution (dpi)	Print size	Print speed
	Plain Paper	360 x 720	A0^	50sec
		720 x 720	A 1	66sec
Image size: A1:588×735mm *Size is based on Epson catalog				

[^]Applicable for T5270 / 5270D, 7270 / 7270D

CAD

Media	Resolution (dpi)	Print size	Print speed
	360 x 720	A 1	30sec
Plain Paper	720 x 1440	A1	60sec


Unrivalled Accessibility

The Epson SureColor T-Series features front access for all operations, allowing you to place it against a wall to free up more floor space for your other needs. This enables you to change paper settings and ink cartridges, and to operate the printer's control panel, all from the front.









Economical and Cost-effective

Competitive cost-per-page and cartridges sizes from 110ml to 700ml to suit different printing volume needs.









Streamlined Productivity*

With the Epson T-Series scanner and HDD upgrade, you are able to scan and share over the network or via e-mail, and even store files directly into your document management system. These features effectively smoothen workflow and increase workplace productivity.



Minimise downtime and save paper with automatic dual roll media design - automatically switch between 2 rolls of media at will.





Partners In Perfection



Epson SureColor™ SC-P607/807

Brings out true quality in your photo collection. Epson's UltraChrome® HD ink set delivers unprecedented black density, true-to-life colour gradations and definitions. Epson is your choice for stunning, unforgettable photo results.



Epson SureColor™ SC-B6070/7070

Epson combines the superbly reliable Micro Piezo printheads with an original high capacity ink tank system to deliver fast, cost effective and high quality large format printing.

Comprehensive, Versatile Product Range

An extensive line up of printer configurations tailored to your individual business needs.

Printout Size		24"Width	36"Width	44" Width
SINGLE FUNCTION	SINGLE ROLL	24" Stand is available as an option only	SC-T5270	SC-T7270
	DUAL ROLL		SC-T5270D	SC-T7270D
MULTI-FUNCTION PRINTER	DUAL ROLL print scan copy		SC-T5270D MFP	SC-T7270D MFP


The SureColor T-Series can be tailored to suit your business requirements. Epson understands that as your business grows, so do your needs. The SureColor T-Series features certain upgrades including:

Add-ons available	SC-T3270	SC-T5270	SC-T7270	SC-T5270D	SC-T7270D	SC-T5270DMFP	SC-T7270DMFP
Printer stand	х						
36" Scanner with stand		x	x	x	x		
Automatic take up reel			x				
320GB HDD*	x	x	x	x	x	x	x
Adobe PostScript 3 Expansion Unit (including 320GB HDD)*	x	x	x	x	x	X	x
Additional Roll media adapter	x	x	x	x	x	x	x

^{*}All printers have only one slot available for either "320GB HDD" or "Adobe PostScript 3 Expansion Unit

1.320GB HDD

Enjoy greater productivity by adding the 320GB Internal Print Server to your printing line. Store up to 500 jobs on your SureColor T-Series for prompt printing without resending the data from a computer.





2. Adobe® PostScrip® 3 Expansion Unit

Purchase Adobe PostScript 3 Expansion Unit to complement the Epson SureColor T-Series and be empowered to print directly with any Adobe software without the need for external drivers. Coupled with the 320GB Internal Print Server, the Adobe PostScript 3 Expansion Unit primes the T-series printer for maximum printing efficiency.

3. Automatic Take Up Reel**

Automate the collection of the finished printed product, allowing for continual printing of high volume print jobs.





** Available only for SC-T7270

4. Epson T-Series MFP Scanner

The 36" scanner provides you with a scanning feature for assorted media up to 1.3mm thick directly into your 320GB HDD. Be free to transfer the image to another SureColor T-Series printer, send it to a recipient via e-mail, or to store the image on your workspace shared folder or CIFS.



5. Additional Roll Media Adapter

The Additional Roll Media Adapter allows you to store an extra roll of substrate within the machine, giving you the option to mechanically switch between the two media samples to print on at will.

The Epson SureColor T-Series also uses a spindle-less roll holder that guarantees the operator's height will not hamper your work process, while making it easy to reload paper rapidly during peak periods.

SURECOLOR SC-T3270/T5270/T7270/T5270D/T7270D



			Sin	gle Function	I FD		Multifun	ction LFP	- <u> </u>			
Model Name		SC-T3270	SC-T5270	SC-T7270	SC-T5270D	SC-T7270D	SC-T5270DMFP	SC-T7270DMFP	_ Dimensions	and Weight		
Printer Width & Type		24" Single Roll (without stand)	Roll Roll Roll (without			36" Dual Roll	44" Dual Roll	App	orox 54kg (119lb) without star orox 67kg (147.71lb) with stan 1,050mm x 691mm x 613mm			
Print	Technolo	ogy	PrecisionCor	e TFP Printhe	ad with Varia	ble-Sized Drop	let Technolog	ıy	•	-	(without stand)	
	Nozzle C	onfiguration	720 nozzles e	ach colour (x	x5)					-	1,070mm (42.1")	
	Maximun	n Resolution	2880x1440 dp	oi						_ 		
	Minimum	Ink Droplet Volume	3.5pl								-	
	Print Spe	eed	Approx. 28 sec /A1 Speed mode(w/cut)							1,117mm - (44")		
	Line Acc	uracy	H-0.1% Based on Max Quality 1440×1440dpi with High Speed On at 23°C, 50% RH on EPSON Singleweight Matte Paper									
	Minimum	line width	0.02mm							- -	T3270 (with Stand) (41.3")	
	lnk	Types	Epson UltraC	hrome XD All	Pigment Ink					SC-13270 (with Stand) (41.3")		
	System	Colours	Cyan, Magent	ta, Yellow, Pho	oto Black, Ma	tte Black				_		
		Capacity	110ml / 350m	l / 700ml						_		
Paper Handling		Single top-loading roll feed, Manual top-loading sheet fed, Manual front-loading thick board feed Manual front-loading ted, Manual front-loading board feed			ont-loading), loading sheet ed, -loading thick	(top- and front-loading), Manual top-loading sheet fed, Manual front-loading thick board		Weight: Appro	C-T5270/T5270D ox 84kg (185.2lb) Single Roll ox 118kg (260.2lb) Dual Roll 1,405mm (55.3")			
	Paper Size	Rolls (0.08mm - 0.5mm thickness; max roll diameter 150mm)	254 - 610mm width	254 - 914mm width	254-1,118mm width	254 - 914mm width	254 - 1,118mm width	254 - 914mm width	254 - 1,118mm width	1,128mm		
		Sheets (0.08mm - 0.8mm thickness)	210 - 610mm width	210 - 914mm width	210 -1,118mm width	210 - 914mm width	210 - 1,118mm width	210 - 914mm width	210 - 1,118mm width	- (44.4")	P 2	
		Thick board	0.8 - 1.5mm tl	nickness						_ ↓	1 070	
	Borderle	ss Printing	Available							_	SC-T5270 1,070mm (42.1")	
Scan	Scan Spe	eed						Colour/Grayscal (3.3inch/sec)	e: Up to 8.4cm/sec	-		
		py Resolution						Up to 600 dpi		_		
Scan Sizes							Width: 153 to 965.2mm (6 to 38inches; Length: 153 to 2438.4xmm (6 to 96inches); Thickness: 0.05 to 1.3mm		SureColor SC-T7270/T7270D Weight: Approx 92kg (202.8lb) Single Roll Approx 133kg (293.2lb) Dual Rol 1,608mm			
	Features							Scan to Folder, Scan to Mail, Scan to HDD, Scan to Share*		(60.0%)		
Сору	Copy Sp	eed						Up to 39 sec (A1 colour copy)	size, 300 dpi	1,128mm (44.4")	di l	
	Reductio	n/Enlargement						25 to 400%				
	Maximun Copier S							Up to 99 copies Quality,Density,Contrast,Remove Background, Sharpness, Document Type (5 types)		_ ↓	SC-T7270D 1,070mm (42.1")	
Control Panel			2.7 inch Colo	ur LCD					-	-		
Memory	Hard Dis	k	Optional 3200					320GB**		_		
Connectivity	Interface	s (standard)	Hi-Speed USI	3, 10BASE-T/1	100BASE-TX	/1000BASE-T				_		
	Print Lan	guages (standard)	ESC/P raster, HP-GL/2,HP RTL Adobe® PostScript® 3; Adobe PDF 1.7 (via Adobe® PostScript® 3™ Expansion Unit) In-Built 5GB RAM							_		
	Print Lan	guages (optional)								-		
	Drivers I	ncluded	PC: Windows XP/Vista/7/8/8.1 (32/64bit); Windows Server 2003 Standard/Standard 64bit, 2008 Standard/Standard 64bit /R2, 2012 or later Macintosh: MacOSX10.5.8 or later							_		
Software	Standard	(Bundled)	LFP Print Plug-In for Office, EPSON LFP Remote Panel 2, EpsonNet Config, EpsonNet Print (Windows only)						T-series Multifu	transfer of images between Epson unction Printers.		
	Option (\	Web Download)	Epson LFP H	DD Utility, LFI	P Accounting	Tool, EPSON	Copy Factory		-		FP requires either 320GB Hard Disk Post Script Expansion Unit with	
Recommende	d System I	Requirements						AM, 32GB hard d n 1GB RAM, 32GE	isk space; 3 hard disk space	320GB HDD.	r ost ocript expansion onlt with	
										Information Printed Jan	correct at time of printing uary 2018	

EPSON INDIA PVT. LTD.

Regional Offices:

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080-30515000 Fax: 080-30515005

Ahmedabad - 3314 8500, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200, Hyderabad - 6463 9640/41, Kolkata - 6500 9370/77, Mumbai - 3079 8200, New Delhi - 3312 0300/01, Pune - 3028 6000/05

CONTACT EPSON TODAY! EMAIL: vasu@eid.epson.co.in

SOUTH Alok Singh 098405 03210, Harishankar 098802 85075 **NORTH** Akhtar Imam 099101 08780, Ashutosh Kumar 098153 94550, Sudhir Kumar 093898 35156 EAST Sourov Kumar 098746 72616 WEST Millind 098209 74733, Devendra 098509 49453.







SURECOLOR SC-T3270/T5270/T7270/T5270D/T7270D



			Single Function LFP Multifunction LFP								
Model Name	-		SC-T3270	SC-T5270	SC-T7270	SC-T5270D	SC-T7270D	SC-T5270DMFP	SC-T7270DMFP	_ Dimensions and Weight	
	Printer Width & Type		24" Single Roll (without	36" Single Roll	44" Single Roll				44" Dual Roll	Come Celes CO TEOZOD Model Formation Drine	
			stand)							(60.6")	
Power	Power Requi	rements	Input voltage	AC 100-240V	50/60Hz / 1.	0A-0.5A			-	1	
Requirements	Power	Operating	Approx. 52 W	Approx. 60 W	!	Approx. 61W		Approx. 61W	Approx. 65 W		
	Consumption (Printer)	Heady	Approx. 16 W		Approx. 16 W	/ Approx. 17 W	Approx. 17 W	Approx. 17 W	Approx. 17 W	1,321mm - (52")	
	(Sleep	Approx. 3.0 W								
		Power off (Stand-by)	Less than 0.5								
	Recommende Temperature 8	k Humidity	10 - 35°C; 20							SC-T5270 1,074mm (42.3")	
	Temperature 8	k Humidity	-20 - 40°C; 5							-	
	Acoustic Sou					1dB(A) (Sleep)			-	
	Acoustic Sou		Approx. 6.8B			1	I I	1		- SureColor SC-T7270D Multi Function Printer	
Dimensions / Weight	Dimensions / Dimension (WxDxH Weight		1,050mm x 691mm x 613mm / 1,050mm x 1,070mm x 1,117mm (w/ Stand)	1,405mm x 1,070mm x 1,128mm	1,608mm x 1,070mm x 1,128mm	1,405mm x 1,070mm x 1,128mm	1,608mm x 1,070mm x 1,128mm	1,539mm x 1,074mm x 1,321mm	1,742mm x 1,074mm x 1,321mm	Weight: Approx 184kg (405.7lb) Dual Roll 1,742mm (68.6")	
	Weight (with ridges)	out ink cart-	Approx. 54kg / 67kg (w/ Stand)	Approx. 84kg	Approx. 92kg	Approx. 118kg	Approx. 133kg	Approx. 168kg	Approx. 184kg	1,321mm (52")	
Options	Hard Disk Unit - 320GB Internal Print Server		C12C848031							SC-T7270	
	Hardware RIP Software	Adobe® PostScript® 3™ Expansion Unit (Hardware RIP with 320GB HDD)	C12C891131							- SC-17270 1,074mm (42.3 ")	
	Printer Stand	ı .	C12C844171							-	
	MFP Scanner	r			C120	891071				-	
	MFP Scanne	r Stand		C12C844151	C12C844161	C12C844151	C12C844161			_	
	Automatic Ta & Attachmen	ke-up Reel Unit t			C12C815321 & C12C815411						
	Additional Ro	oll Media	C12C811401							© 2017 Epson India Pvt. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.	
Consumables	Photo Black Ink Cartridge C13T692100 (110ml) / C13T693100 (350ml) / C13T694100 (700ml)					EPSON and EXCEED YOUR VISION are registered					
	Cyan Ink Car	tridge	C13T692200 (110ml) / C13T693200 (350ml) / C13T694200 (700ml)							trademarks of Seiko Epson Corporation. All other products names and other company names used	
	Magenta Ink	Cartridge	C13T692300 (110ml) / C13T693300 (350ml) / C13T694300 (700ml)							herein are for identification purposes only and are	
	Yellow Ink Ca	artridge	C13T692400 (110ml) / C13T693400 (350ml) / C13T694400 (700ml)							 the trademarks or registered trademarks of their respective owners. Epson disclaims any and all 	
	Matte Black Ink Cartridge C13T692500 (110ml) / C13T693500 (350ml) / C13T694500 (700ml)							rights in those marks. Print samples shown are simulations only. Specifications and product			
	Replacement ance Box	Ink Mainten-	C13T619300							availability are subject to change without notice and may vary between countries. Please check with local	
	Replacement Blade	Printer Cutter	C13S902007							Epson offices for more information.	

Information correct at time of printing Printed January 2018

EPSON INDIA PVT. LTD.

Regional Offices:

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080-30515000 Fax: 080-30515005

Ahmedabad - 3314 8500, Chennai - 3967 7500, Cochin - 4012 315,

Coimbatore - 98942 19200, Hyderabad - 6463 9640/41, Kolkata - 6500 9370/77, Mumbai - 3079 8200,

New Delhi - 3312 0300/01, Pune - 3028 6000/05

CONTACT EPSON TODAY! EMAIL: vasu@eid.epson.co.in

SOUTH Alok Singh 098405 03210, Harishankar 098802 85075 **NORTH** Akhtar Imam 099101 08780, Ashutosh Kumar 098153 94550, Sudhir Kumar 093898 35156 **EAST** Sourov Kumar 098746 72616 **WEST** Millind 098209 74733, Devendra 098509 49453.





Dealer's Stamp

